



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

## \*BIBDATASHEET\*

CONFIRMATION NO. 6596

Bib Data Sheet

SERIAL NUMBER 10/824,454	FILING DATE 04/14/2004  RULE	CLASS 604	GROUP ART UNIT 3762	ATTORNEY DOCKET NO. MED-0004C1
-----------------------------	---------------------------------------	--------------	------------------------	-----------------------------------

## APPLICANTS

Angela Wentling, Sassamansville, PA;

Michelle Cochran, Hobart, IN;  
Virginia Marlow, Cedar Lake, IN; William Monroe, Crown Point, IN;  
Charles Zembillas, Crown Point, IN;  
Daniel Winter, Valparaiso, IN;

*Claudio Ronco, Vicenza, Italy*

## \*\* CONTINUING DATA \*\*\*\*\*

This application is a CIP of 10/057,340 01/23/2002 PAT 6,749,580  
which claims benefit of 60/327,515 10/05/2001

## \*\* FOREIGN APPLICATIONS \*\*\*\*\*

IF REQUIRED, FOREIGN FILING LICENSE GRANTED

\*\* 06/23/2004

Foreign Priority claimed <input type="checkbox"/> yes <input checked="" type="checkbox"/> no	STATE OR COUNTRY PA	SHEETS DRAWING 11	TOTAL CLAIMS 25	INDEPENDENT CLAIMS 3
35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after Allowance				
Verified and Acknowledged <i>Skennedy</i> Examiner's Signature	Initials			

## ADDRESS

33941  
MONTE & MCGRAW, PC  
4092 SKIPPACK PIKE  
P.O. BOX 650  
SKIPPACK, PA  
19474

## TITLE

CONTINUOUS FLOW PERITONEAL DIALYSIS CATHETER

FILING FEE  RECEIVED 1160	FEES: Authority has been given in Paper No. _____ to charge/credit DEPOSIT ACCOUNT No. _____ for following:	<input type="checkbox"/> All Fees <input type="checkbox"/> 1.16 Fees ( Filing ) <input type="checkbox"/> 1.17 Fees ( Processing Ext. of time ) <input type="checkbox"/> 1.18 Fees ( Issue ) <input type="checkbox"/> Other _____ <input type="checkbox"/> Credit
------------------------------------	---	---